

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	6165	((717/124-126,149,154) or (714/25-38) or (702/186,196)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:03
2	9	((717/124-126,149,154) or (714/25-38) or (702/186,196)).CCLS.) and (@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification)) and (717/\$ or 714/\$) and (module same (block or submodule or section)) and (decompos\$6 or hierarch\$5 or subdivi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:05
3	30	(US-6249882-\$ or US-5758061-\$ or US-5673387-\$ or US-5193178-\$ or US-4595981-\$ or US-5805795-\$ or US-5754760-\$ or US-5634098-\$ or US-5335342-\$ or US-5021997-\$ or US-4617663-\$ or US-5005119-\$ or US-6351455-\$ or US-6629267-\$ or US-5561762-\$ or US-4862399-\$ or US-5390193-\$ or US-5159600-\$ or US-6615163-\$ or US-5831995-\$ or US-5542043-\$ or US-6256776-\$ or US-6625760-\$ or US-6601018-\$ or US-6598222-\$ or US-6275980-\$).did. or (US-6237117-\$ or US-5860009-\$).did. or (US-20020066077-\$ or US-20020154712-\$).did.	USPAT; US-PGPUB	2004/08/23 09:05
4	8	((717/124-126,149,154) or (714/25-38) or (702/186,196)).CCLS.) and (@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification)) and (717/\$ or 714/\$) and (module same (block or submodule or section)) and (decompos\$6 or hierarch\$5 or subdivi\$6)) not ((US-6249882-\$ or US-5758061-\$ or US-5673387-\$ or US-5193178-\$ or US-4595981-\$ or US-5805795-\$ or US-5754760-\$ or US-5634098-\$ or US-5335342-\$ or US-5021997-\$ or US-4617663-\$ or US-5005119-\$ or US-6351455-\$ or US-6629267-\$ or US-5561762-\$ or US-4862399-\$ or US-5390193-\$ or US-5159600-\$ or US-6615163-\$ or US-5831995-\$ or US-5542043-\$ or US-6256776-\$ or US-6625760-\$ or US-6601018-\$ or US-6598222-\$ or US-6275980-\$).did. or (US-6237117-\$ or US-5860009-\$).did. or (US-20020066077-\$ or US-20020154712-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:05
-	41	((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 15:58
-	26	((@ad<=20010820 or @rlad<=20010820) and (((iterative\$3 or recursiv\$4) and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$).and (module same (block or submodule or section or vector))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 15:58
-	41	((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:39

-	0	(((@ad<=20010820 or @rlad<=20010820) and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section or vector))) and (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))) and (decompos\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 09:04
-	18	((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and (717/\$ or 714/\$)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:02
-	15	(@ad<=20010820 or @rlad<=20010820) and (((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and (717/\$ or 714/\$))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:20
-	1	((@ad<=20010820 or @rlad<=20010820) and (((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and (717/\$ or 714/\$))))) and (((@ad<=20010820 or @rlad<=20010820) and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:07
-	34	4862399.URPN.	USPAT	2004/08/20 16:04
-	355	(input same output) and ((test near2 (set or block or module)) same (decompos\$5 or partition\$4 or subdivi\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:07
-	94	((input same output) and ((test near2 (set or block or module)) same (decompos\$5 or partition\$4 or subdivi\$7))) and (@ad<=20010820 or @rlad<=20010820) and (717/\$ or 714/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:07
-	1	((input same output) and ((test near2 (set or block or module)) same (decompos\$5 or partition\$4 or subdivi\$7))) and (@ad<=20010820 or @rlad<=20010820) and (717/\$ or 714/\$)) and (((@ad<=20010820 or @rlad<=20010820) and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))) or (((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and (717/\$ or 714/\$)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:23

-	7	("4862399" "4996689" "5004978" "5010552" "5027353" "5159600" "5187712").PN.	USPAT	2004/08/20 16:12
-	11	5159600.URPN.	USPAT	2004/08/20 16:15
-	19	5542043.URPN.	USPAT	2004/08/20 16:17
-	10	((subset or submodule) adj4 ((input or vector) and (program or software or code))) same (mapp\$4 or apply\$5 or submi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:21
-	4	(@ad<=20010820 or @rlad<=20010820) and (((subset or submodule) adj4 ((input or vector) and (program or software or code))) same (mapp\$4 or apply\$5 or submi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:22
-	8	(((input or vector) near5 (program or software or code))) same ((mapp\$4 or apply\$5 or submi\$6) adj4 (subset or submodule))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:24
-	7	(@ad<=20010820 or @rlad<=20010820) and (((input or vector) near5 (program or software or code))) same ((mapp\$4 or apply\$5 or submi\$6) adj4 (subset or submodule))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:36
-	2	((@ad<=20010820 or @rlad<=20010820) and (((input or vector) near5 (program or software or code))) same ((mapp\$4 or apply\$5 or submi\$6) adj4 (subset or submodule)))) and (717/\$ or 714/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:23
-	75	(717/\$ or 714/\$) and (((@ad<=20010820 or @rlad<=20010820) and (((iterative\$3 or recursiv\$4) and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section)))) or ((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and (717/\$ or 714/\$))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:24
-	0	717/\$ and ((runn\$4 or appl\$4 or submi\$6) near4 (set near8 (input and submodule)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:34
-	1	717/\$ and ((runn\$4 or appl\$4 or submi\$6) near4 ((input and submodule)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:31
-	0	717/\$ and ((runn\$4 or appl\$4 or submi\$6) near4 ((minimum or smallest) near8 (output same input)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:14
-	7	(test\$4 or debug\$4 or verif\$7).clm. and - ((runn\$4 or appl\$4 or submi\$6) near4 ((minimum or smallest) near8 (output same input)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 16:36

7	(@ad<=20010820 or @rlad<=20010820) and ((test\$4 or debug\$4 or verif\$7).clm. and ((runn\$4 or appl\$4 or submi\$6) near4 ((minimum or smallest) near8 (output same input))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:04
0	6615163.URPN.	USPAT	2004/08/20 16:38
14	("3795864" "3976826" "4084136" "4357677" "4513288" "5159600" "5311176" "5329279" "5497395" "5542043" "5726925" "5900856" "6069574" "6181310").PN.	USPAT	2004/08/20 16:38
3	((iterativ\$5 or incremental\$4 or recursiv\$5) near3 (isolat\$4 or identif\$4 or detect\$4)) same ((software or program) adj2 (bug or error or fault or conflict or violation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:12
2	(@ad<=20010820 or @rlad<=20010820) and (((iterativ\$5 or incremental\$4 or recursiv\$5) near3 (isolat\$4 or identif\$4 or detect\$4)) same ((software or program) adj2 (bug or error or fault or conflict or violation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:32
560	((debug\$4 or test\$4).ab. or (714/\$ and (software adj module))) and ((partition\$4 or decompos\$4) same (test and (module or input)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:11
126	((debug\$4 or test\$4).ab. or (714/\$ and (software adj module))) and ((partition\$4 or decompos\$4) same (test and (module or input))) and (input and output) and (iterativ\$5 or incremental\$4 or recursiv\$5) and (@ad<=20010820 or @rlad<=20010820)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:13
39	((debug\$4 or test\$4).ab. or (714/\$ and (software adj module))) and ((partition\$4 or decompos\$4) same (test and (module or input))) and (input and output) and (iterativ\$5 or incremental\$4 or recursiv\$5) and (@ad<=20010820 or @rlad<=20010820) and (((@ad<=20010820 or @rlad<=20010820) and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))) or ((input same output) and ((test near2 (set or block or module)) same (decompos\$5 or partition\$4 or subdivi\$7))) or 5159600.URPN. or 5542043.URPN. or ((717/\$ or 714/\$) and (((@ad<=20010820 or @rlad<=20010820) and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))) or ((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and (717/\$ or 714/\$)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:14

-	14	(((debug\$4 or test\$4).ab. or (714/\$ and (software adj module))) and ((partition\$4 or decompos\$4) same (test and (module or input)))) and (input and output) and (iterativ\$5 or incremental\$4 or recursiv\$5) and (@ad<=20010820 or @rlad<=20010820)) and (((@ad<=20010820 or @rlad<=20010820) and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))) or ((input same output) and ((test near2 (set or block or module)) same (decompos\$5 or partition\$4 or subdivi\$7)))) or 5159600.URPN. or 5542043.URPN. or ((717/\$ or 714/\$) and (((@ad<=20010820 or @rlad<=20010820) and (((iterative\$3 or recursiv\$4)and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section or vector))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))) or ((module or "test case" or program or code or target) same (decompos\$6)) and (apply\$5 near5 input) and ((test\$4 or debug\$4 or verification).ab. or ((test\$4 or debug\$4).clm. and (717/\$ or 714/\$)))))) and 717/\$ and (debug\$4 and input and log\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:18
-	22	(((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))) not Accenture	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:29
-	0	(decomposition near5 test) and ((recursive\$5 or incremental\$5 or iterativ\$4) same (result near8 compari\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:42
-	0	(decompos\$5 same test) and ((recursive\$5 or incremental\$5 or iterativ\$4) same (result near8 compari\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:30
-	8	((debug\$4 or (fault near detect\$4)) same (software or module)) and ((recursive\$5 or incremental\$5 or iterativ\$4) same (result near8 compari\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:31
-	8	(@ad<=20010820 or @rlad<=20010820) and (((debug\$4 or (fault near detect\$4)) same (software or module)) and ((recursive\$5 or incremental\$5 or iterativ\$4) same (result near8 compari\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:58
-	5	6249882.URPN.	USPAT	2004/08/20 17:34
-	13	("5335342" "5634098" "5651111" "5664173" "5740353" "5754760" "5758061" "5805795" "5862362" "5892947" "5905856" "5949999" "6023580").PN.	USPAT	2004/08/20 17:35

-	4	("5414836" "5455938" "5500941" "5604895").PN.	USPAT	2004/08/20 17:37
-	18	5805795.URPN.	USPAT	2004/08/20 17:38
-	32	4595981.URPN.	USPAT	2004/08/20 17:50
-	0	("each set" adj2 input) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$) and (debug or fault or failure or error or mismatch)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:56
-	0	("each set" adj2 input) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:57
-	0	("each" adj2 input) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:57
-	48	((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 17:58
-	43	(@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:22
-	43	(@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 14:40
-	43	((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) not (Accenture.as. or Bowman.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:27
-	38	(((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:38
-	0	(((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design) and (decomposition same test)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:39
-	41	((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:39
-	168	(@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:40

-	12	(717/\$ and (decomposition same test)) and (@ad<=20010820 or @rlad<=20010820)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:40
-	168	((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:10
-	44	(((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:42
-	13	(software near5 test) and ((recursive\$5 or incremental\$5 or iterativ\$4) same (result near8 compari\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 15:42
-	1	(((((ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5)))) and ((software near5 test) and ((recursive\$5 or incremental\$5 or iterativ\$4) same (result near8 compari\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:08
-	5	6249882.URPN.	USPAT	2004/08/21 15:45
-	13	("5335342" "5634098" "5651111" "5664173" "5740353" "5754760" "5758061" "5805795" "5862362" "5892947" "5905856" "5949999" "6023580").PN.	USPAT	2004/08/21 15:49
-	8	("4825354" "4945475" "5021997" "5182806" "5230049" "5274803" "5414836" "5421004").PN.	USPAT	2004/08/21 15:54
-	30	("3733587" "4296409" "4358824" "4383298" "4384325" "4399502" "4402055" "4404639" "4424576" "4437184" "4453217" "4468732" "4495566" "4545011" "4589068" "4595981" "4606025" "4611320" "4617663" "4639916" "4648044" "4649515" "4654852" "4658370" "4670834" "4730315" "4736374" "4742467" "4841456" "4899306").PN.	USPAT	2004/08/21 16:00
-	32	4617663.URPN.	USPAT	2004/08/21 16:05
-	0	4617663.URPN. and (decompos\$5 near6 (module or input or target or program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:12
-	1598	(test or debug or ((error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:10
-	110	((test or debug or ((error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/\$ or (714/\$ and software.clm.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:11

-	38	((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (decompos\$5 near6 (module or input or target or program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:22
-	13	717/\$ and (decomposition same test)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:12
-	0	(((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (decompos\$5 near6 (module or input or target or program or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:33
-	1	(((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) and (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:33
-	22	((test or debug or ((error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/\$ or (714/\$ and software.clm.))) and (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (decompos\$5 near6 (module or input or target or program or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:21
-	14	((test or debug or ((error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/\$ or (714/\$ and software.clm.))) and (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 16:35
-	30	("3733587" "4296409" "4358824" "4383298" "4384325" "4399502" "4402055" "4404639" "4424576" "4437184" "4453217" "4468732" "4495566" "4545011" "4589068" "4595981" "4606025" "4611320" "4617663" "4639916" "4648044" "4649515" "4654852" "4658370" "4670834" "4730315" "4736374" "4742467" "4841456" "4899306").PN.	USPAT	2004/08/21 16:48

-	11	5193178.URPN.	USPAT	2004/08/21 16:58
-	7	5561762.URPN.	USPAT	2004/08/21 17:02
-	6	6167352.URPN.	USPAT	2004/08/21 17:04
-	50	5005119.URPN.	USPAT	2004/08/21 17:16
-	43	(@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:25
-	21	(debug or test).ab. and (717/\$ or 714/\$) and (decompos\$5 near6 (module or input or target or program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:26

	<p>54 (((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section)))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5)))) or (("3733587" "4296409" "4358824" "4383298" "4384325" "4399502" "4402055" "4404639" "4424576" "4437184" "4453217" "4468732" "4495566" "4545011" "4589068" "4595981" "4606025" "4611320" "4617663" "4639916" "4648044" "4649515" "4654852" "4658370" "4670834" "4730315" "4736374" "4742467" "4841456" "4899306").PN.) or (((test or debug or (error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/\$ or (714/\$ and software.clm.))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (decompos\$5 near6 (module or input or target or program or code))) or ((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) or ((debug or test).ab. and (717/\$ or 714/\$) and (decompos\$5 near6 (module or input or target or program or code)))) and (decompos\$4 or subdivi\$5 or "broken into" or partition\$5) and (input same (output or result)) and ((log or test) adj2 (suite or list or file or record))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/08/21 17:25</p>
--	---	--	-----------------------------

	<p>48 ((((((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5)))) or (("3733587" "4296409" "4358824" "4383298" "4384325" "4399502" "4402055" "4404639" "4424576" "4437184" "4453217" "4468732" "4495566" "4545011" "4589068" "4595981" "4606025" "4611320" "4617663" "4639916" "4648044" "4649515" "4654852" "4658370" "4670834" "4730315" "4736374" "4742467" "4841456" "4899306").PN.) or (((test or debug or (error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/\$ or (714/\$ and software.clm.))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (decompos\$5 near6 (module or input or target or program or code))) or ((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) or ((debug or test).ab. and (717/\$ or 714/\$) and (decompos\$5 near6 (module or input or target or program or code)))) and (decompos\$4 or subdivi\$5 or "broken into" or partition\$5) and (input same (output or result)) and ((log or test) adj2 (suite or list or file or record))) and (@ad<=20010820 or @rlad<=20010820) and (incremental\$4 or iterativ\$4 or recursiv\$5 or progressive)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/08/21 17:39</p>
--	---	--	-----------------------------

	34	<pre> ((((((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) or ((((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5)))) or (("3733587" "4296409" "4358824" "4383298" "4384325" "4399502" "4402055" "4404639" "4424576" "4437184" "4453217" "4468732" "4495566" "4545011" "4589068" "4595981" "4606025" "4611320" "4617663" "4639916" "4648044" "4649515" "4654852" "4658370" "4670834" "4730315" "4736374" "4742467" "4841456" "4899306").PN.) or (((test or debug or (error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/\$ or (714/\$ and software.clm.))) or (((@ad<=20010820 or @rlad<=20010820) and ((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (decompos\$5 near6 (module or input or target or program or code))) or ((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) or ((debug or test).ab. and (717/\$ or 714/\$) and (decompos\$5 near6 (module or input or target or program or code)))) and (decompos\$4 or subdivi\$5 or "broken into" or partition\$5) and (input same (output or result)) and ((log or test) adj2 (suite or list or file or record))) and (@ad<=20010820 or @rlad<=20010820) and (incremental\$4 or iterativ\$4 or recursiv\$5 or progressive)) and ((debug or test).ab. or (717/\$ or 714/\$)) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:27
--	----	--	---	---------------------

-	14	<pre> (((((((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) not (Accenture.as. or Bowman.in.)) not (circuit near2 design)) or ((((@ad<=20010820 or @rlad<=20010820) and (((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (717/\$ or 714/\$) and (module same (block or submodule or section))) or ((((@ad<=20010820 or @rlad<=20010820) and (((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) or ((((@ad<=20010820 or @rlad<=20010820) and (((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (@ad<=20010820 or @rlad<=20010820)) and ((input and result) same ((set or subset or submodule) and (compar\$4 or validat\$4 or verif\$5)))) or (("3733587" "4296409" "4358824" "4383298" "4384325" "4399502" "4402055" "4404639" "4424576" "4437184" "4453217" "4468732" "4495566" "4545011" "4589068" "4595981" "4606025" "4611320" "4617663" "4639916" "4648044" "4649515" "4654852" "4658370" "4670834" "4730315" "4736374" "4742467" "4841456" "4899306").PN.) or (((test or debug or (error or fault) near3 (isolat\$\$ or detection))) and (decompos\$5 near6 (module or input or target or program or code))) and (@ad<=20010820 or @rlad<=20010820) and (717/\$ or (714/\$ and software.clm.))) or (((@ad<=20010820 or @rlad<=20010820) and (((incremental\$3 and software) near6 (test\$4 or debug\$4 or verification))) and (decompos\$5 near6 (module or input or target or program or code))) or ((@ad<=20010820 or @rlad<=20010820) and (((incremental\$4 or iterativ\$4 or recursiv\$5) near8 (input or submi\$5)) same ((result or output) near5 (compar\$6 or match\$4 or verif\$4 or check\$4)) and (717/\$ or 714/\$ or 345/\$))) or ((debug or test).ab. and (717/\$ or 714/\$) and (decompos\$5 near6 (module or input or target or program or code)))) and (decompos\$4 or subdivi\$5 or "broken into" or partition\$5) and (input same (output or result)) and ((log or test) adj2 (suite or list or file or record))) and (@ad<=20010820 or @rlad<=20010820) and (incremental\$4 or iterativ\$4 or recursiv\$5 or progressive)) and ((debug or test).ab. or (717/\$ or 714/\$))) not (Accenture.as. or Bowman.in.) ((program or code or module) near4 further) adj2 ((broken or subdivi\$4 or decompos\$5) adj2 into) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:35
-	0	<pre> (program or code or module) near4 further) adj2 ((broken or subdivi\$4 or decompos\$5) adj2 into) </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:37
-	0	<pre> (program or code or module) near4 ((broken or subdivi\$4 or decompos\$5) adj2 "into") </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:38

-	7378	((program or code or module) near4 ((broken or subdivid\$4 or decompos\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:38
-	97	(input adj (set or vector or block or subset or array or list or stream)). near4 ((broken or subdivid\$4 or decompos\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:43
-	9	((program or code or module) near4 ((broken or subdivid\$4 or decompos\$5))) and ((input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid\$4 or decompos\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:39
-	2	((program or code or module) near4 ((broken or subdivid\$4 or decompos\$5))) and ((input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid\$4 or decompos\$5))) and (@ad<=20010820 or @rlad<=20010820) and (test\$3 or debug\$4 or verif\$5 or valida\$6 or simulat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:42
-	2	((program or code or module) near4 ((broken or subdivid\$4 or decompos\$5))) and ((input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid\$4 or decompos\$5))) and (@ad<=20010820 or @rlad<=20010820)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:42
-	262	(input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid\$4 or decompos\$5 or partition\$4 or hierarch\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:43
-	1	((program or code or module) near4 ((broken or subdivid\$4 or decompos\$5))) and ((input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid\$4 or decompos\$5 or partition\$4 or hierarch\$5))) not (((program or code or module) near4 ((broken or subdivid\$4 or decompos\$5))) and ((input adj (set or vector or block or subset or array or list or stream)) near4 ((broken or subdivid\$4 or decompos\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/21 17:44